

SOME PROPERTIES OF ALGEBRAIC SURFACES
WITH SYMMETRIES

Ternovsky V.A.

B.Kuna 27, 247

333022 Simferopol

USSR, The Crimea

Let G group be finite and irreducible in substantial m -dimensional Euclidean space E^m . The group is generated by orthogonal reflections. N is a number for all hyperplanes with a common point of intersection, their reflections belong to G . I^G is an algebra of group G invariants.

Polinomials below are invariant to G ,

$$\theta_{2t} = \sum_{\kappa=1}^N \eta_{\kappa}^{2t}, \quad t \geq 1, \quad (1)$$

where $\eta_{\kappa} = 0$ are normalized equations of symmetry hyperplanes; θ^G is algebra of such invariants. Actually there are some known different methods for obtaining $I_{n_i} (i = \overline{1, m})$ generators in algebra I^G (Coxeter, 1951; Flatto, 1978; Ignatenko, 1980, 1984). Ignatenko V.F. found that not all generators of even degrees can be represented by (1) if $G = F_4, B_m, D_m$. And the problem arises for finding generators $\theta^G \notin I^G$. With its solution a number of results (Ternovsky, 1983, 1988) has been obtained which is represented in the following table:

G	ℓ	d_i
$[N]$	2	2, $2\mathbb{N}$
A_3	3	2, 4, 6
A_4	5	2, 4, 6, 8, 10
A_5	10	2, 4, ..., 18, 30
B_{12}	$24 \leq \ell \leq 144$	2, 4, 8, 10, ..., 48, 54, ...?
D_4	9	2, 6, 8, 10, 12, 14, 16, 20, 24
F_4	5	2, 3, 12, 18, 24
E_6	7	2, 6, 8, 10, 12, 14, 18

where ℓ is a number for all generators in algebra θ^G ,
 d_i ($i = \overline{1, \ell}$) are their degrees; in B_{12} case only a number of all generators has been found.

BIBLIOGRAPHY

Coxeter H.S.M.

1951. The product of the generators of a finite group generated by reflections // Duke Math. J., V. 18.- P. 765-782.

Flatto L.

1978. Invariants of finite reflection groups // Enseign. math., V. 24, N 3 - 4.- P. 237-292.

Игнатенко В.Ф.

1980. Геометрия алгебраических поверхностей с симметриями // Проблемы геометрии. Итоги науки и техники.- М.: Наука - Т. II.- С. 203-240.
1984. Некоторые вопросы геометрической теории инвариантов групп, порожденных ортогональными и косыми отражениями // Проблемы геометрии. Итоги науки и техники. - М.: Наука - Т. I6.- С. 195-229.

Терновский В.А.

1983. Специальные инварианты групп $[N], F_4, E_6$ // Всесоюзная школа по теории функций.: Тез. докл. Кемерово - С.110.
1988. Об инвариантах групп A_m, B_{12}, D_4 // IX Всесоюзная геометрическая конференция.: Тез. докл. Кишинев - С. 308.